

working at
holding ~~at~~
new home

Call Don
@
715-210-
done 4983

**PRIVATE SEWAGE SYSTEM
INSPECTION REPORT for Dunn County**

Property Address/City	N8726 380 th St. Boyceville, WI 54725
Town of	Sherman
Legal	SE-NW
Subdivision	
CSM #	Lot 1 CSM #2634
Sanitary permit #	425901
State Plan ID #	795163
Parcel tax #	291316.20402
Computer #	032-1042-09-010

Name	Eric Meier	
Address	N8754 380 th St.	
City	Boyceville	
State & Zip	WI	54725

PLUMBER:		CST:	
Brady Dahms		Tim Mittlestadt	

GENERAL INFORMATION

CST BM Elev.:	Insp. BM Elev.:
BM Description:	

TANK INFORMATION

TYPE	MANUFACTURER	CAPACITY
Holding tank	Wieser	2000

TANK SETBACK INFORMATION

TYPE	P/L	WELL	BLDG	VENT TO AIR INTAKE
Holding tank	>50'	*	23'	

PUMP/SIPHON INFORMATION

Manuf/Model #			
Lift	Friction Loss	System Head	TDH Ft.
Forcemain	Length	Dia.	Dist. to Well

SOIL ABSORPTION SYSTEM

Bed/trench dimensions	Width	Length	No. of Trenches		
Setback	Type of System	P/L	Bldg	Well	Lake/Stream
Information					

DISTRIBUTION SYSTEM

Header/Manifold Length Dia.	Distribution pipe(s) Length Dia. Spacing	X Hole Size	X Hole Spacing
-----------------------------	--	-------------	----------------

WI FUND: Yes No Maybe
REASON: _____

COMMENTS:
* No well at time of inspection.

New House/Double Wide	
New Mobile Home	X
New Other	
Replace/Repair/Reconnect	


11/7/02
Date

Alex Herrick
Inspector's Signature

220750
Cert. No.

ELEVATION DATA

STATION	ELEVATION	ELEVATION
Benchmark		100.00
Well		
Bldg. Sewer		
St/Ht Inlet		94.62
St/Ht Outlet		
Dt. Inlet		
Dt. Bottom		
Header/Man.		
Dist. Pipe		
Bottom system		




SHED

WELL HOUSE



WESER 2000
GAL. H.T.



MOBILE HOME
N8754

LOT 1
CSM#2634



SCALE: 1" = 40'

DUNN COUNTY

Parcel 291316.20402
Comp. 032-1042-09-010
Address _____

SANITARY PERMIT

No. 425901

NEW

OWNER ERIC MEIER, N8754 380TH ST., BOYCEVILLE, WI

PLUMBER BRADY DAHMS LICENSE # 220355

TOWN OF SHERMAN LOCATED SE-NW

SECTION 16 T 29 N - R 13 W

AND/OR LOT 1 BLOCK _____

CSM #2634 SUBDIVISION _____

Janet Riedel _____ AUTHORIZED ISSUING OFFICER - DATE 10/28/02

THIS PERMIT EXPIRES 10/28/04 UNLESS RENEWED BEFORE THAT DATE

(TWO YEARS FROM THE ORIGINAL DATE OF ISSUANCE)

CHAPTER 145.135 WISCONSIN STATUTES

- (a) The purpose of the sanitary permit is to allow installation of the private sewage system described in the application for permit.
 - (b) The approval of the sanitary permit is based on regulations on force on the date of issue.
 - (c) The sanitary permit is valid 2 years from original date of issuance and may be renewed for similar periods thereafter. Application for renewal shall be made through the county and shall comply with regulations in effect at the time.
 - (d) Changed regulations will not impair the validity of a sanitary permit until the time of renewal.
 - (e) Renewal of the sanitary permit will be based on regulations in force at the time renewal is sought. Changed regulations may impede renewal.
 - (f) The sanitary permit is transferable. A sanitary permit transfer shall be obtained from the county authority.
- * If you wish to renew the permit, or transfer ownership of the permit, please contact the county authority.

VISIBLE FROM THE ROAD FRONTING THE LOT
DURING CONSTRUCTION



Safety and Buildings Division
201 W. Washington Ave., P.O. Box 7162
Madison, WI 53707 - 7162

County Dunn

Site Address

Sanitary Permit Application

In accord with Comm 83.21, Wis. Adm. Code, personal information you provide may be used for secondary purposes Privacy Law, s15.04(1)(m)

Sanitary Permit Number 425901
 Check if Revision

I. Application Information - Please Print All Information

State Plan I.D. Number

Property Owner's Name
Eric Meier

Parcel Number
291316.20402

Property Owner's Mailing Address
N8754 380th

Property Location
SE 1/4 NW 1/4 S 16 T 29 N. R 13 W

City, State Reynolds WI Zip Code 54725 Phone Number 643-9004

Lot Number 1 Block Number CSM 21034
Subdivision Name _____ CSM Number _____

II. Type of Building (check all that apply)

1 or 2 Family Dwelling - Number of Bedrooms 2
 Public/Commercial - Describe Use _____
 State Owned

City _____
 Village _____
 Township Sherman
Nearest Road _____

III. Type of Permit: (Check only one box on line A (numbering scheme for internal use). Complete line B if applicable)

A. 1 New System 2 Replacement System 3 Replacement of Tank Only 6 Addition to Existing System For County use

B. Check if Sanitary Permit Previously Issued Permit Number _____ Date Issued _____

IV. Type of Permit: (Check all that apply)(numbering scheme is for internal use)

44 Non-Pressurized In-Ground 21 Mound 47 Sand Filter 50 Constructed Wetland
22 Pressurized In-Ground 41 Holding Tank 48 Single Pass 51 Drip Line
45 At-Grade 46 Aerobic Treatment Unit 49 Recirculating 30 Other

V. Dispersal/Treatment Area Information:

Design Flow (gpd)	Dispersal Area Required	Dispersal Area Proposed	Soil Application Rate(Gals./Days/Sq.Ft.)	Percolation Rate (Min./Inch)	System Elevation	Final Grade Elevation

VI. Tank Info	Capacity in Gallons		Total Gallons	Number of Tanks	Manufacturer	Prefab Concrete	Site Constructed	Steel	Fiber Glass	Plastic
	New Tanks	Existing Tanks								
Septic or Holding Tank	<u>2000</u>	-	<u>2000</u>	<u>1</u>	<u>Wieser</u>	<u>X</u>				
Dosing Chamber										

VII. Responsibility Statement- I, the undersigned, assume responsibility for installation of the POWTS shown on the attached plans.

Plumber's Name (Print) Brady Dahms Plumber's Signature Brady Dahms MP/MPRS Number 220355 Business Phone Number 235-0651
Plumber's Address (Street, City, State, Zip Code) 1020 N. Broadway Menomonie WI 54751

VIII. County/Department Use Only

Approved Disapproved Owner Given Initial Adverse Determination
Sanitary Permit Fee (includes Groundwater Surcharge Fee) 250. Date Issued 10-28-02 Issuing Agent Signature (No Stamps) [Signature]

IX. Conditions of Approval/Reasons for Disapproval

032-1042-09-010

Attach complete plans (to the County only) for the system on paper not less than 8 1/2 x 11 inches in size

October 21, 2002

CUST ID No.220355

ATTN: POWTS Inspector

BRADY DAHMS
HALVERSON BROS
1020 N BROADWAY
MENOMONIE WI 54751

ZONING OFFICE
DUNN COUNTY SPIA
800 WILSON AVE
MENOMONIE WI 54751

**CONDITIONAL APPROVAL
PLAN APPROVAL EXPIRES: 10/21/2004**

SITE:

Eric Meier
N8754 380th Street
Town of Sherman
Dunn County
SE1/4, NW1/4, S16, T29N, R13W

FOR:

Description: Proposed Two Bedroom Holding Tank
Object Type: POWT System Regulated Object ID No.: 874287

Identification Numbers
Transaction ID No. 795163 Site ID No. 178132
Please refer to both identification numbers, above, in all correspondence with the agency.

The submittal described above has been reviewed for conformance with applicable Wisconsin Administrative Codes and Wisconsin Statutes. The submittal has been **CONDITIONALLY APPROVED**. The owner, as defined in chapter 101.01(10), Wisconsin Statutes, is responsible for compliance with all code requirements.

The following conditions shall be met during construction or installation and prior to occupancy or use:

General Approval Conditions:

- This system is to be constructed and located in accordance with the enclosed approved plans and with the **"Holding Tank Component Manual for Private Onsite Wastewater Systems" SBD-10571-P (R.6/99)**.
- **Comm. 83.54(2)(c)** - A meter, with remote reading device, shall be installed by a properly licensed plumber, on the water system, that adequately measures the amount of water used by the structure, excluding hose bibs and wall hydrants, which do not discharge into the sanitary system.
- A Sanitary Permit must be obtained from the county where this project is located in accordance with the requirements of **Sec. 145.135 and 145.19, Wis. Stats.**
- Inspection of the private sewage system installation is required. Arrangements for inspection shall be made with the designated county official in accordance with the provisions of **Sec. 145.20(2)(d), Wis. Stat**
- **Comm 83.52(3)** - The activities relating to evaluation and monitoring mechanical POWTS components after the initial installation of the POWTS in accordance with an approved management plan shall be conducted by a person who holds a registration issued by the department as a registered POWTS maintainer.
- **Comm 83.22(7)** - A copy of the approved plans, specifications and this letter shall be on-site during construction and open to inspection by authorized representatives of the Department, which may include local inspectors.

Owner Responsibilities:

- **Comm 83.52(1)(a)** - The owner of a POWTS shall be responsible for ensuring that the operation and maintenance of the POWTS occurs in accordance with this chapter and the approved management plan under s. Comm 83.54(1).
- **Comm 83.52(2)** - A POWTS that is not maintained in accordance with the approved management plan or as required under s. **Comm 83.54(4)** shall be considered a human health hazard.
- The owner is responsible for submitting a maintenance verification report per **Comm 83.55**, that is acceptable to the county for maintenance tracking purposes. Reports shall be submitted at intervals appropriate for the component(s) utilized in the POWTS.

In granting this approval the Division of Safety & Buildings reserves the right to require changes or additions should conditions arise making them necessary for code compliance. As per state stats 101.12(2), nothing in this review shall relieve the designer of the responsibility for designing a safe building, structure, or component.

Inquiries concerning this correspondence may be made to me at the telephone number listed below, or at the address on this letterhead.

The above left addressee shall provide a copy of this letter to the owner and any others who are responsible for the installation, operation or maintenance of the POWTS.

Sincerely,

Gerard M. Swim
POWTS Plan Reviewer - Integrated Services
(608)-789-7892, Mon. - Fri. 7:30 am to 4:15 pm
jswim@commerce.state.wi.us

Fee Required \$	60.00
Fee Received \$	60.00
Balance Due \$	0.00
WiSMART code: 7633	

cc: Leroy G Jansky , Wastewater Specialist, (715) 726-2544

HOLDING TANK AGREEMENT

Document No. / Plan Identification No.
 Agreement Date
9-27-02

This agreement is made between the governmental unit and holding tank owner(s)

This space reserved for recording data

Received for record 10-22-02 at 12:15 pm Hmit

Return To
ZONING

County or Local Governmental Unit
DUNN
(called Municipality below)

Holding Tank Owner(s)
ERIC MEIER


We acknowledge that application is being made for the installation of (a) holding tank(s) on the following property: (Provide legal land description)
PT OF SE 1/4 NW 1/4 AC 16 T29N R13W
TOWN OF SHERMAN DUNN COUNTY
described as Lot 1 Csm # 2634

or that continued use of the existing premises requires that a holding tank be installed on the property for the purpose of proper containment of sewage. Also, the property cannot now be served by a municipal sewer, or any other type of private sewage system as permitted under Ch. ILHR 83, Wis. Adm. Code, or Ch. 145, Stats.

As an inducement to the County of DUNN to issue a sanitary permit for the above described property, we agree to do the following:

- Owner agrees to conform to all applicable requirements of Ch. ILHR 83, Wis. Adm. Code relating to holding tanks. If the owner fails to have the holding tank properly serviced in response to orders issued by the municipality to prevent or abate a human health hazard as described in s. 254.59, Stats., the municipality may enter upon the property and service the tank or cause to have the tank to be serviced and charge the owner by placing the charges on the tax bill as a special assessment for current services rendered. The charges will be assessed as prescribed by s. 66.60, Stats.
- The owner agrees, pursuant to s. ILHR 83.18 (10), Wis. Adm. Code, to have installed in a new building or new structure a water meter approved by the County and State. The water meter shall be installed by a plumber authorized by the State to conduct such installations, with said installation complying with State regulations and manufacturers specifications. The owner agrees to be financially responsible for the purchase, installation, maintenance, and repair of the water meter, and agrees to allow the municipality to enter the above described property on a regular basis to read and/or inspect the water meter.
- Owner agrees to pay all charges and cost incurred by the municipality for inspection, pumping, hauling, or otherwise servicing and maintaining the holding tank in such a manner as to prevent or abate any human health hazard caused by the holding tank. The municipality shall notify the owner of any costs which shall be paid by the owner within thirty (30) days from the date of notice. In the event the owner does not pay the costs within thirty (30) days, the owner specifically agrees that all the costs and charges may be placed on the tax roll as a special assessment for the abatement of a human health hazard, and the tax shall be collected as provided by law.
- The owner, except as provided by s. 146.20 (3) (d), Stats., agrees to contract with a person who is licensed under Ch. NR 113, Wis. Adm. Code, to have the holding tank serviced and to file a copy of the contract or the owner's registration with the municipality. The owner further agrees to file a copy of any changes to the service contract, or a copy of a new service contract, with the municipality within ten (10) business days from the date of change to the service contract.
- The owner agrees to contract with a person licensed under Ch. NR 113, Wis. Adm. Code, who shall submit to the municipality on a semiannual basis a report in accordance with s. ILHR 83.18 (4) (a) 2., Wis. Adm. Code, for the servicing of the holding tank. In the case of registration under s. 146.20 (3) (d), Stats., the owner shall submit the report to the municipality. The municipality may enter upon the property to investigate the condition of the holding tank when pumping reports and meter readings may indicate that the holding tank is not being properly maintained.
- This agreement will remain in effect only until the local governmental unit responsible for the regulation of private sewage systems certifies that the property is served by either a municipal sewer or a soil absorption system that complies with Ch. ILHR 83, Wis. Adm. Code. In addition, this agreement may be cancelled by executing and recording said certification with reference to this agreement in such manner which will permit the existence of the certification to be determined by reference to the property.
- This agreement shall be binding upon the owner, the heirs of the owner, and assignees of the owner. The owner shall submit the agreement to the register of deeds, and the agreement shall be recorded by the register of deeds in a manner which will permit the existence of the agreement to be determined by reference to the property where the holding tank is installed.

Owner(s) Name(s) - Print <u>ERIC MEIER</u>	Notrized Owner(s) Signature(s) <i>Eric Meier</i>	Subscribed and sworn to before me on this date: <u>9/27/02</u> <i>Cynthia M. [Signature]</i> My commission expires: <u>1/5/13</u>
Municipal Official Name - Print <u>DANIEL J. FEDDERLY</u>	Municipal Official Signature <i>[Signature]</i>	
Municipal Official Title - Print <u>CHAIRMAN, TOWN OF SHERMAN</u>		



in accordance with Comm 85, Wis. Adm. Code

Attach complete site plan on paper not less than 8 1/2 x 11 inches in size. Plan must include, but not limited to: vertical and horizontal reference point (BM), direction and percent slope, scale or dimensions, north arrow, and location and distance to nearest road.

Please print all information.

Personal information you provide may be used for secondary purposes (Privacy Law, s. 15.04 (1) (m)).

County	Dunn
Parcel I.D.	
Reviewed by	Date

Property Owner Eric Meier	Property Location Govt. Lot SE 1/4 NW 1/4 S 16 T 29 N R 13 E (or) W		
Property Owner's Mailing Address N8754 38012	Lot #	Block #	Subd. Name or CSM#
City Beyersville	State WI	Zip Code 54725	Phone Number (715) 235-9004
	<input type="checkbox"/> City	<input type="checkbox"/> Village	<input checked="" type="checkbox"/> Town
	Nearest Road Sherran		38012

New Construction Use: Residential / Number of bedrooms 2 Code derived design flow rate 300 GPD

Replacement Public or commercial - Describe: _____

Parent material _____ Flood Plain elevation if applicable _____ ft.

General comments and recommendations:
HOLDING TANK : DUE TO LACK OF AREA

Boring # Boring Pit Ground surface elev. _____ ft. Depth to limiting factor _____ in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/ft ²	
									*Eff#1	*Eff#2

Boring # Boring Pit Ground surface elev. _____ ft. Depth to limiting factor _____ in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/ft ²	
									*Eff#1	*Eff#2

* Effluent #1 = BOD₅ > 30 ≤ 220 mg/L and TSS > 30 ≤ 150 mg/L * Effluent #2 = BOD₅ ≤ 30 mg/L and TSS ≤ 30 mg/L

CST Name (Please Print) TIM MITTLESTADT	Signature <i>[Signature]</i>	CST Number 227548
Address E745 NWY 12 KNAPP WI	Date Evaluation Conducted	Telephone Number 715-665-2112

Property Owner _____

Parcel ID # _____

Page _____ of _____

Boring #

Boring

Pit

Ground surface elev. _____ ft.

Depth to limiting factor _____ in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate	
									GPD/ft ²	
									*Eff#1	*Eff#2

Boring #

Boring

Pit

Ground surface elev. _____ ft.

Depth to limiting factor _____ in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate	
									GPD/ft ²	
									*Eff#1	*Eff#2

Boring #

Boring

Pit

Ground surface elev. _____ ft.

Depth to limiting factor _____ in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate	
									GPD/ft ²	
									*Eff#1	*Eff#2

* Effluent #1 = BOD₅ > 30 ≤ 220 mg/L and TSS >30 ≤ 150 mg/L

* Effluent #2 = BOD₅ ≤ 30 mg/L and TSS ≤ 30 mg/L

The Department of Commerce is an equal opportunity service provider and employer. If you need assistance to access services or need material in an alternate format, please contact the department at 608-266-3151 or TTY 608-264-8777.



Safety and Buildings
4003 N KINNEY COULEE RD
LA CROSSE WI 54601-1831
TDD #: (608) 264-8777
www.commerce.state.wi.us/sb
www.wisconsin.gov

Scott McCallum, Governor
Philip Edw. Albert, Secretary

October 21, 2002

CUST ID No.220355

ATTN: POWTS Inspector

BRADY DAHMS
HALVERSON BROS
1020 N BROADWAY
MENOMONIE WI 54751

ZONING OFFICE
DUNN COUNTY SPIA
800 WILSON AVE
MENOMONIE WI 54751

**CONDITIONAL APPROVAL
PLAN APPROVAL EXPIRES: 10/21/2004**

Identification Numbers
Transaction ID No. 795163
Site ID No. 178132
Please refer to both identification numbers, above, in all correspondence with the agency.

SITE:

Eric Meier
N8754 380th Street
Town of Sherman
Dunn County
SE1/4, NW1/4, S16, T29N, R13W

FOR:

Description: Proposed Two Bedroom Holding Tank
Object Type: POWT System Regulated Object ID No.: 874287

The submittal described above has been reviewed for conformance with applicable Wisconsin Administrative Codes and Wisconsin Statutes. The submittal has been **CONDITIONALLY APPROVED**. The owner, as defined in chapter 101.01(10), Wisconsin Statutes, is responsible for compliance with all code requirements.

The following conditions shall be met during construction or installation and prior to occupancy or use:

General Approval Conditions:

- This system is to be constructed and located in accordance with the enclosed approved plans and with the "Holding Tank Component Manual for Private Onsite Wastewater Systems" SBD-10571-P (R.6/99).
- **Comm. 83.54(2)(c)** - A meter, with remote reading device, shall be installed by a properly licensed plumber, on the water system, that adequately measures the amount of water used by the structure, excluding hose bibs and wall hydrants, which do not discharge into the sanitary system.
- A Sanitary Permit must be obtained from the county where this project is located in accordance with the requirements of **Sec. 145.135 and 145.19, Wis. Stats.**
- Inspection of the private sewage system installation is required. Arrangements for inspection shall be made with the designated county official in accordance with the provisions of **Sec. 145.20(2)(d), Wis. Stat**
- **Comm 83.52(3)** - The activities relating to evaluation and monitoring mechanical POWTS components after the initial installation of the POWTS in accordance with an approved management plan shall be conducted by a person who holds a registration issued by the department as a registered POWTS maintainer.
- **Comm 83.22(7)** - A copy of the approved plans, specifications and this letter shall be on-site during construction and open to inspection by authorized representatives of the Department, which may include local inspectors.

**P.O.W.T.S.
Conditionally
APPROVED**

Owner Responsibilities:

- **Comm 83.52(1)(a)** - The owner of a POWTS shall be responsible for ensuring that the operation and maintenance of the POWTS occurs in accordance with this chapter and the approved management plan under s. Comm 83.54(1).
- **Comm 83.52(2)** - A POWTS that is not maintained in accordance with the approved management plan or as required under s. **Comm 83.54(4)** shall be considered a human health hazard.
- The owner is responsible for submitting a maintenance verification report per **Comm 83.55**, that is acceptable to the county for maintenance tracking purposes. Reports shall be submitted at intervals appropriate for the component(s) utilized in the POWTS.

In granting this approval the Division of Safety & Buildings reserves the right to require changes or additions should conditions arise making them necessary for code compliance. As per state stats 101.12(2), nothing in this review shall relieve the designer of the responsibility for designing a safe building, structure, or component.

Inquiries concerning this correspondence may be made to me at the telephone number listed below, or at the address on this letterhead.

The above left addressee shall provide a copy of this letter to the owner and any others who are responsible for the installation, operation or maintenance of the POWTS.

Sincerely,



Gerard M. Swim
POWTS Plan Reviewer - Integrated Services
(608)-789-7892, Mon. - Fri. 7:30 am to 4:15 pm
jswim@commerce.state.wi.us

Fee Required \$	60.00
Fee Received \$	60.00
Balance Due \$	0.00

WiSMART code: 7633

cc: Leroy G Jansky , Wastewater Specialist, (715) 726-2544

- Holding Tank

Transaction #

Construction Materials and Techniques

All materials must comply with Comm 84 and be installed in accordance with manufacturer's specifications. Construction methods must comply with the following Component Manual:

Holding Tank, SBD-10571-P (6/99)

Location: SE 1/4 NW 1/4 Sec 16 T29N R13W
Town: SHERMAN
County: DUNN

Date:

Owner: ERIC MEIER

Address: N8754 380 ST Boyceville 54725

Plumber: BRADY DAHMS


Signature: Brady Dahms

License # MP 220355

Attachments: 6748-Plan Approval Application
SBD 8330

- page 1: cover
- 2: plot plan
- 3: tank detail
- 4: maintenance information

APPROVED
DEPARTMENT OF COMMERCE
DIVISION OF SAFETY AND BUILDINGS
Eric Meier
SEE CORRESPONDENCE



THE BASIS OF BEARINGS IS THE E-W 1/4 LINE WHICH BEARS N89°40'41"E BASED ON DUNN CO. GRID

LEGEND

- SET 3/4" x 24" IRON REBAR (WEIGHS 1.502 LBS./FT.)
- ⊙ FOUND PUBLIC LAND SURVEY CORNER (AS NOTED)

PREPARED FOR:

ERIC MEIER 118726 38254
360TH ST. Reynoldsville WI
MENOMONIE, WI 54751
54729

PREPARED BY:


KOCHAVER LAND SURVEYING
E5772 490TH AVE.
MENOMONIE, WI 54751
(715) 232 8249

SCALE: 1"=100'



JOB # 2166

HOLDING TANK CROSS-SECTION AND SPECIFICATIONS



OWNER'S NAME: ERIC MEIER
 ADDRESS: N8754 380 ST BOYCEVILLE WI 54725
 LEGAL DISCRIPTION: SE 1/4, NW 1/4, Sec. 16, T 29 N, R 13 W
 TOWNSHIP/MUNICIPALITY: SHERMAN
 COUNTY: DUNN

Holding Tank Maintenance Information

As a condition of plan approval, a copy of these plans must be given to the owner and this information reviewed with the owner.

The capacity of this system's holding tank is 2000 gallons. Under Wisconsin average use conditions of nominally 50 gallons per person per day, the tank will become full after about 20 days of use by two people. Water conservation measures including the use of low flow water fixtures will extend this time frame and are recommended.

A water meter must be installed on the potable water service to this residence. The holding tank is equipped with an alarm which is installed 12 inches below the maximum water level of the tank. The alarm will function when about 500 gallons of capacity remain; this is about five days of average flow for two people. At this time a licensed septic pumper must be called to pump the tank before maximum capacity is reached. Septage disposal will be by approved methods according to the Holding Tank Servicing Agreement filed with the county permit application for this system.

The licensed pumper is required to submit a report to the county within ten days of any servicing - such as pumping - of this system.

Any questions regarding the performance of this system may be referred to the installing plumbing contractor, ABC Sewer, at 715-665-2112, or to the Dunn County Zoning Office at 715-232-1401.

Tank Anchoring: Per Comm 83.43(8)(g), Wis. Adm. Code, all tank(s) must be anchored whenever they are at risk for being installed in an area where they may be located in saturated conditions all/part of the year. Using soil as the anchor has become an acceptable alternative to concrete.

- Flotation potential is the displacement of the tank calculated by its volume in cubic feet.

Line A: Calculate cubic feet of tank.

$$\underline{53} \text{ inches high, } \times \underline{96} \text{ inches wide, } \times \underline{164} \text{ inches Long, } = \underline{483} \text{ cubic inches.}$$

Divide this number by 1728 to equal 483 cubic feet.

Line B: Convert the displacement to the weight of water.

$$\underline{483} \text{ (from line A) cubic feet } \times 62.4 \text{ (weight of 1 cubic foot of water) } \times 1.5 \text{ (safety factor) } = \underline{45,208} \text{ lbs. of lift potential.}$$

Line C: Calculate weight needed to counter buoyancy.

$$\underline{45,208} \text{ lbs. (Displacement weight from line B.) } - \underline{17,100} \text{ lbs. (weight of tank per manufacturer) } = \text{ lbs. of soil needed to anchor tank } \underline{28,108} \text{ lbs.}$$

Line D: Weight of the soil media including safety factor needed over the tank to anchor the tank adequately.

$$\text{Tank cover width } \underline{96} \text{ inches } \times \text{ tank cover length } \underline{164} \text{ inches, divided by } 144 = \underline{109} \text{ square feet } \times 0.083 \text{ (1 inch in foot decimal) } = \underline{9} \text{ cubic feet (volume of 1 inch of space over the tank cover).}$$


Line E: Calculated weight of 1 inch of space over entire cover.

$$\underline{9} \text{ cubic feet of space (from line D) } \times 100 \text{ lbs./cubic foot of } = \underline{900} \text{ lbs./inch space above cover.}$$

Line F: Calculate inches of soil needed to counter buoyancy .

$$\underline{28,108} \text{ lbs. (from line C) divided by } \underline{900} \text{ lbs. per inch of soil (from line E) } = \text{ inches need over tank cover.}$$

31.11



THE BASIS OF BEARINGS IS THE E-W 1/4 LINE WHICH BEARS N89°40'41"E BASED ON DUNN CO. GRID

LEGEND

- SET 3/4" x 24" IRON REBAR (WEIGHS 1.502 LBS./FT.)
- ⊙ FOUND PUBLIC LAND SURVEY CORNER (AS NOTED)

PREPARED FOR:

ERIC MEIER 118726 380th
360TH ST. Reynoldsville WI
MENOMONIE, WI 54751
54724


PREPARED BY:

KOCHAVER LAND SURVEYING
E5772 490TH AVE.
MENOMONIE, WI 54751
(715) 232 8249

SCALE: 1"=100'




JOB # 2166



THE BASIS OF BEARINGS IS THE E-W 1/4 LINE WHICH BEARS N89°40'41"E BASED ON DUNN CO. GRID

LEGEND

- SET 3/4" x 24" IRON REBAR (WEIGHS 1.502 LBS./FT.)
- ⊙ FOUND PUBLIC LAND SURVEY CORNER (AS NOTED)



PREPARED FOR:
 ERIC MEIER 118726 380th
 360TH ST. *Rayville WI*
 MENOMONIE, WI 54751
 54725

PREPARED BY:
 KOCHAVER LAND SURVEYING
 E5772 490TH AVE.
 MENOMONIE, WI 54751
 (715) 232 8249



Safety and Buildings
4003 N KINNEY COULEE RD
LA CROSSE WI 54601-1831
TDD #: (608) 264-8777
www.commerce.state.wi.us/sb
www.wisconsin.gov

Scott McCallum, Governor
Philip Edw. Albert, Secretary

October 21, 2002

CUST ID No.220355

ATTN: POWTS Inspector

BRADY DAHMS
HALVERSON BROS
1020 N BROADWAY
MENOMONIE WI 54751

ZONING OFFICE
DUNN COUNTY SPIA
800 WILSON AVE
MENOMONIE WI 54751

**CONDITIONAL APPROVAL
PLAN APPROVAL EXPIRES: 10/21/2004**

Identification Numbers
Transaction ID No. 795163 Site ID No. 178132
Please refer to both identification numbers, above, in all correspondence with the agency.

SITE:

Eric Meier
N8754 380th Street
Town of Sherman
Dunn County
SE1/4, NW1/4, S16, T29N, R13W

FOR:

Description: Proposed Two Bedroom Holding Tank
Object Type: POWT System Regulated Object ID No.: 874287

The submittal described above has been reviewed for conformance with applicable Wisconsin Administrative Codes and Wisconsin Statutes. The submittal has been **CONDITIONALLY APPROVED**. The owner, as defined in chapter 101.01(10), Wisconsin Statutes, is responsible for compliance with all code requirements.

The following conditions shall be met during construction or installation and prior to occupancy or use:

General Approval Conditions:

- This system is to be constructed and located in accordance with the enclosed approved plans and with the **"Holding Tank Component Manual for Private Onsite Wastewater Systems" SBD-10571-P (R.6/99)**.
- **Comm. 83.54(2)(c)** - A meter, with remote reading device, shall be installed by a properly licensed plumber, on the water system, that adequately measures the amount of water used by the structure, excluding hose bibs and wall hydrants, which do not discharge into the sanitary system.
- A Sanitary Permit must be obtained from the county where this project is located in accordance with the requirements of **Sec. 145.135 and 145.19, Wis. Stats.**
- Inspection of the private sewage system installation is required. Arrangements for inspection shall be made with the designated county official in accordance with the provisions of **Sec. 145.20(2)(d), Wis. Stat**
- **Comm 83.52(3)** - The activities relating to evaluation and monitoring mechanical POWTS components after the initial installation of the POWTS in accordance with an approved management plan shall be conducted by a person who holds a registration issued by the department as a registered POWTS maintainer.
- **Comm 83.22(7)** - A copy of the approved plans, specifications and this letter shall be on-site during construction and open to inspection by authorized representatives of the Department, which may include local inspectors.

Owner Responsibilities:

- **Comm 83.52(1)(a)** - The owner of a POWTS shall be responsible for ensuring that the operation and maintenance of the POWTS occurs in accordance with this chapter and the approved management plan under s. Comm 83.54(1).
- **Comm 83.52(2)** - A POWTS that is not maintained in accordance with the approved management plan or as required under s. **Comm 83.54(4)** shall be considered a human health hazard.
- The owner is responsible for submitting a maintenance verification report per **Comm 83.55**, that is acceptable to the county for maintenance tracking purposes. Reports shall be submitted at intervals appropriate for the component(s) utilized in the POWTS.

In granting this approval the Division of Safety & Buildings reserves the right to require changes or additions should conditions arise making them necessary for code compliance. As per state stats 101.12(2), nothing in this review shall relieve the designer of the responsibility for designing a safe building, structure, or component.

Inquiries concerning this correspondence may be made to me at the telephone number listed below, or at the address on this letterhead.

The above left addressee shall provide a copy of this letter to the owner and any others who are responsible for the installation, operation or maintenance of the POWTS.

Sincerely,

Gerard M. Swim
POWTS Plan Reviewer - Integrated Services
(608)-789-7892, Mon. - Fri. 7:30 am to 4:15 pm
jswim@commerce.state.wi.us

Fee Required \$	60.00
Fee Received \$	60.00
Balance Due \$	0.00
WiSMART code: 7633	

cc: Leroy G Jansky , Wastewater Specialist, (715) 726-2544

2634

FORM NO. 985-A



Stock No. 26273

APPROVE
YES
NO

REC'D September 12, 2002 at 2:40 P.M.

RECORDED: VOL. 11 SURVEY MAPS PAGE 174

DUNN CO. SURVEYOR
DUNN CO. REAL PROPERTY
DATE


8/19/02

James M. Mrdutt
JAMES M. MRDUTT, REG OF DEEDS, DUNN CO. WI



485356

CERTIFIED SURVEY MAP NO. 2634
VOLUME 11 PAGE 174

BEING A PART OF THE S.E. 1/4 OF THE N.W. 1/4 OF SECTION 16,
T.29N., R.13W., TOWN OF SHERMAN, DUNN COUNTY, WISCONSIN:




Stephen J. Kochaver
8/16/02



THE BASIS OF BEARINGS IS THE E-W 1/4 LINE
WHICH BEARS N89°40'41"E BASED ON DUNN CO. GRID

LEGEND

- SET 3/4" x 24" IRON REBAR (WEIGHS 1.502 LBS./FT.)
- FOUND PUBLIC LAND SURVEY CORNER (AS NOTED)



PREPARED FOR:
ERIC MEIER
N 8726 380TH AVE.
BOYCEVILLE, WI 54725

PREPARED BY:
KOCHAVER LAND SURVEYING
E5772 490TH AVE.
MENOMONIE, WI 54751
(715) 232 8249

PAGE 174A
#2634

SOIL EVALUATION REPORT

in accordance with Comm 85, Wis. Adm. Code

Attach complete site plan on paper not less than 8 1/2 x 11 inches in size. Plan must include, but not limited to: vertical and horizontal reference point (BM), direction and percent slope, scale or dimensions, north arrow, and location and distance to nearest road.

Please print all information.

Personal information you provide may be used for secondary purposes (Privacy Law, s. 15.04 (1) (m)).

County	<u>Dunn</u>
Parcel I.D.	
Reviewed by	Date

Property Owner <u>Eric & Sandy Meier</u>	Property Location Govt. Lot <u>SE 1/4 NW 1/4 S 16 T 29 N R 13</u> <u>(10) W</u>
Property Owner's Mailing Address <u>N 8754 380th St</u>	Lot # <u>---</u> Block # <u>---</u> Subd. Name or CSM# <u>---</u>
City <u>Boyceville</u> State <u>WI</u> Zip Code <u>54725</u> Phone Number <u>(715) 643-9004</u>	<input type="checkbox"/> City <input type="checkbox"/> Village <input checked="" type="checkbox"/> Town Nearest Road <u>380th St. (Rubusch Rd.)</u>

New Construction Use: Residential / Number of bedrooms 3 Code derived design flow rate 450 GPD
 Replacement Public or commercial - Describe: N.A.

Parent material outcrops over loams Flood Plain elevation if applicable N.A. ft.

General comments and recommendations: recommend a mound with 6" seed lift, soil application rate 0.5
Recommend contour 98.40
site (system area) open grass pasture

1 Boring # Boring Pit Ground surface elev. 97.90 ft. Depth to limiting factor 34 in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/ft ²	
									*Eff#1	*Eff#2
1.	0-7	10YR 3/3		sil	2m, abk	mfr	C.S	2f	0.5	0.8
2.	7-22	10YR 4/6		s	f, sg	mfr	gs	2f	0.5	0.9
3.	22-29	5Y 4/4		s	vt, sg	mfr	C.W	1f	0.4	0.6
4.	29-34	10YR 5/6		sil	1, f, sbk	mfi	gs	+	0.2	0.3
		<u>with shale rock fragments</u>								
5.	34-50	10YR 5/6		sil	1, f, sbk	mvfi	+	+	0.0	0.2
		<u>with >50% shale rock fragments, dense to penetration, limitation of bedrock.</u>								

2 Boring # Boring Pit Ground surface elev. 97.10 ft. Depth to limiting factor 33 in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/ft ²	
									*Eff#1	*Eff#2
1.	0-9	10YR 3/3		sil	2m, abk	mfr	C.W	2f	0.5	0.8
2.	9-15	10YR 5/4		sil	2, m, abk	mfr	gs	1f	0.5	0.8
3.	15-26	10YR 4/4		sil	2, m, abk	mfr	gs	1f	0.5	0.8
4.	26-33	10YR 5/6		sil	1, f, sbk	mfi	gs	+	0.2	0.3
5.	33-54	10YR 5/6		sil	1, f, sbk	mvfi	+	+	0.0	0.2
		<u>with shale rock fragments, >50% dense to penetration, limitation of bedrock</u>								

* Effluent #1 = BOD₅ > 30 < 220 mg/L and TSS > 30 < 150 mg/L * Effluent #2 = BOD₅ < 30 mg/L and TSS < 30 mg/L

CST Name (Please Print) <u>Ms. Loretta A. Larrabee</u>	Signature <u>[Signature]</u>	CST Number <u>CSTM 224580</u>
Address <u>N2089 Cty. Rd. Y, Menomonie, WI 54751</u>	Date Evaluation Conducted <u>July 25th, 2002</u>	Telephone Number <u>715/235-4634 wk</u> <u>715/664-8184 hm</u>

Property Owner Eric & Sandy Meier

Parcel ID # _____

Page 2 of 3

Boring # 3 Boring
 Pit Ground surface elev. 98.40 ft. Depth to limiting factor 39 in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate	
									GPD/ft ²	
									*Eff#1	*Eff#2
1.	0-12	10YR 7/3		SP1	2m, abk	mfr	C, S	2f	0.5	0.8
2.	12-24	10YR 5/4		S	f, sg	mfr	C, S	2f	0.5	0.9
3.	24-32	8.5Y 5/4		S	vt, sg	mfr	G, S	1f	0.4	0.6
4.	32-39	5Y 4/4		S	vt, sg	mfi	C, S	+	0.4	0.6
with 10% sand stone fragment, deterioration in place										
5.	39-48	10YR 4/4		SP1	massive				0.0	0.2

Boring # _____ Boring
 Pit Ground surface elev. _____ ft. Depth to limiting factor _____ in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate	
									GPD/ft ²	
									*Eff#1	*Eff#2

Boring # _____ Boring
 Pit Ground surface elev. _____ ft. Depth to limiting factor _____ in.

Horizon	Depth in.	Dominant Color Munsell	Redox Description Qu. Sz. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate	
									GPD/ft ²	
									*Eff#1	*Eff#2

* Effluent #1 = BOD₅ > 30 ≤ 220 mg/L and TSS >30 ≤ 150 mg/L * Effluent #2 = BOD₅ ≤ 30 mg/L and TSS ≤ 30 mg/L

The Department of Commerce is an equal opportunity service provider and employer. If you need assistance to access services or need material in an alternate format, please contact the department at 608-266-3151 or TTY 608-264-8777.

Eric Sandy Meier
SE, NW, 16, 29, 13W
Sherman township
Dunn county

Loretta Larrabee
loretta larrabee CSTM 224580

LEGEND


BM: 100.' bottom of garage siding

⊗ pits dug with back hoe


0-grade elevations

Scale 1"=40' except where indicated

No Comm 83 setback problems



Original



Eric Meier
SE, NW, 16, 29, 13W
Sherman township
Dunn county

Original

Loretta Larrabee
loretta larrabee CSTM 224580

380[±] St.

lot line

N 8726

driveway Easement

LEGEND
Scale 1"=40' except
where indicated


X- hand pits

Pasture

Fence line - lot line

at line - fence line

Hay field



low area
marshy
pasture

2634



Stock No. 26273

DUNN CO. SURVEYOR
DUNN CO. REAL PROPERTY
DATE 8/19/02

APPROVED
YES NO

REC'D September 12, 2002 at 2:40 P.M.


RECORDED: VOL. 11 SURVEY MAPS PAGE 174

James M. Mrdutt
JAMES M. MRDUTT, REG OF DEEDS, DUNN CO. WI


185356

CERTIFIED SURVEY MAP NO. 2634
VOLUME 11 PAGE 174

BEING A PART OF THE S.E. 1/4 OF THE N.W. 1/4 OF SECTION 16,
T.29N., R.13W., TOWN OF SHERMAN, DUNN COUNTY, WISCONSIN:



Stephen J. Kochaver
8/16/02



THE BASIS OF BEARINGS IS THE E-W 1/4 LINE
WHICH BEARS N89°40'41"E BASED ON DUNN CO. GRID

LEGEND

- SET 3/4" x 24" IRON REBAR (WEIGHS 1.502 LBS./FT.)
- ⊙ FOUND PUBLIC LAND SURVEY CORNER (AS NOTED)

PREPARED FOR:
ERIC MEIER
N 8726 380TH AVE.
BOYCEVILLE, WI 54725

PREPARED BY:
KOCHAVER LAND SURVEYING
E5772 490TH AVE.
MENOMONIE, WI 54751
(715) 232 8249

SCALE: 1"=100'



JOB # 2166

#2634
PAGE 174A

APPROVED BY THE DUNN COUNTY ZONING OFFICE THIS 19th DAY OF Aug. 2002
DUNN COUNTY ZONING OFFICIAL
Don Newman, Zoning Administrator



DATED THIS 16th DAY OF August, 2002
STEPHEN J. KOCHAVER S-2257
KOCHAVER LAND SURVEYING
Stephen J. Kochaver

I, STEPHEN J. KOCHAVER, REGISTERED LAND SURVEYOR, DO HEREBY CERTIFY THAT IN FULL COMPLIANCE WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES, CHAPTER AE 7 OF THE WISCONSIN ADMINISTRATIVE CODE AND THE PROVISIONS OF THE DUNN COUNTY SUBDIVISION ORDINANCE, AND THE TOWN OF SHERMAN SUBDIVISION ORDINANCE, UNDER THE DIRECTION OF ERIC MEIER, I HAVE SURVEYED, DIVIDED AND MAPPED THE ABOVE DESCRIBED PARCEL OF LAND, AND THAT THIS IS A CORRECT REPRESENTATION OF THE BOUNDARY THEREOF.

SURVEYOR'S CERTIFICATE

BEING A PART OF THE S.E. 1/4 OF THE N.W. 1/4 OF SECTION 16, T.29N., R.13W., TOWN OF SHERMAN, DUNN COUNTY, WISCONSIN;
MORE FULLY DESCRIBED AS FOLLOWS:
COMMENCING AT THE WEST 1/4 CORNER OF SAID SECTION 16;
THENCE N89°40'41"E, ALONG THE EAST-WEST 1/4 LINE, 1323.18' TO THE S.W. CORNER OF SAID S.E. 1/4 OF THE N.W. 1/4;
THENCE N00°18'52"W, ALONG THE WEST LINE OF SAID S.E. 1/4 OF THE N.W. 1/4, 283.84' TO THE POINT OF BEGINNING OF THIS DESCRIPTION;
THENCE CONTINUING N00°18'52"W, ALONG SAID "40" LINE, 206.69';
THENCE S84°01'35"E 551.24';
THENCE S00°38'18"E 115.14';
THENCE S86°26'00"W 549.46' TO THE POINT OF BEGINNING OF THIS DESCRIPTION;
SAID PARCEL CONTAINS 88,215 SQUARE FEET (2.03 ACRES) AND IS SUBJECT TO ANY AND ALL EASEMENTS, RIGHTS OF WAY, AND/OR CONVEYANCES OF RECORD.

DESCRIPTION

BEING A PART OF THE S.E. 1/4 OF THE N.W. 1/4 OF SECTION 16, T.29N., R.13W., TOWN OF SHERMAN, DUNN COUNTY, WISCONSIN;

CERTIFIED SURVEY MAP NO. 2634
VOLUME 11 PAGE 174

Document No. / Plan Identification No.

Agreement Date
9-27-02

This agreement is made between the governmental unit and holding tank owner(s)

This space reserved for recording data

487212

**DUNN COUNTY
REGISTER OF DEEDS
JAMES M. MRDUTT
RECORDED ON**

10-22-2002 12:15 PM

REC FEE: 11.00
TRANS FEE:
FEE EXEMPT #:
PAGES: 1

Return To ZONING pd 11.00

County or Local Governmental Unit
DUNN
(called Municipality below)

Holding Tank Owner(s)
ERIC MEIER

We acknowledge that application is being made for the installation of (a) holding tank(s) on the following property: (Provide legal land description)
**PT OF SE 1/4 NW 1/4 Sec 16 T29N R13W
TOWN OF SHERMAN DUNN COUNTY
described as Lot 1 Csm # 2634**

or that continued use of the existing premises requires that a holding tank be installed on the property for the purpose of proper containment of sewage. Also, the property cannot now be served by a municipal sewer, or any other type of private sewage system as permitted under Ch. ILHR 83, Wis. Adm. Code, or Ch. 145, Stats.

As an inducement to the County of DUNN to issue a sanitary permit for the above described property, we agree to do the following:

1. Owner agrees to conform to all applicable requirements of Ch. ILHR 83, Wis. Adm. Code relating to holding tanks. If the owner fails to have the holding tank properly serviced in response to orders issued by the municipality to prevent or abate a human health hazard as described in s. 254.59, Stats., the municipality may enter upon the property and service the tank or cause to have the tank to be serviced and charge the owner by placing the charges on the tax bill as a special assessment for current services rendered. The charges will be assessed as prescribed by s. 66.60, Stats.
2. The owner agrees, pursuant to s. ILHR 83.18 (10), Wis. Adm. Code, to have installed in a new building or new structure a water meter approved by the County and State. The water meter shall be installed by a plumber authorized by the State to conduct such installations, with said installation complying with State regulations and manufacturers specifications. The owner agrees to be financially responsible for the purchase, installation, maintenance, and repair of the water meter, and agrees to allow the municipality to enter the above described property on a regular basis to read and/or inspect the water meter.
3. Owner agrees to pay all charges and cost incurred by the municipality for inspection, pumping, hauling, or otherwise servicing and maintaining the holding tank in such a manner as to prevent or abate any human health hazard caused by the holding tank. The municipality shall notify the owner of any costs which shall be paid by the owner within thirty (30) days from the date of notice. In the event the owner does not pay the costs within thirty (30) days, the owner specifically agrees that all the costs and charges may be placed on the tax roll as a special assessment for the abatement of a human health hazard, and the tax shall be collected as provided by law.
4. The owner, except as provided by s. 146.20 (3) (d), Stats., agrees to contract with a person who is licensed under Ch. NR 113, Wis. Adm. Code, to have the holding tank serviced and to file a copy of the contract or the owner's registration with the municipality. The owner further agrees to file a copy of any changes to the service contract, or a copy of a new service contract, with the municipality within ten (10) business days from the date of change to the service contract.
5. The owner agrees to contract with a person licensed under Ch. NR 113, Wis. Adm. Code, who shall submit to the municipality on a semiannual basis a report in accordance with s. ILHR 83.18 (4) (a) 2., Wis. Adm. Code, for the servicing of the holding tank. In the case of registration under s. 146.20 (3) (d), Stats., the owner shall submit the report to the municipality. The municipality may enter upon the property to investigate the condition of the holding tank when pumping reports and meter readings may indicate that the holding tank is not being properly maintained.
6. This agreement will remain in effect only until the local governmental unit responsible for the regulation of private sewage systems certifies that the property is served by either a municipal sewer or a soil absorption system that complies with Ch. ILHR 83, Wis. Adm. Code. In addition, this agreement may be cancelled by executing and recording said certification with reference to this agreement in such manner which will permit the existence of the certification to be determined by reference to the property.
7. This agreement shall be binding upon the owner, the heirs of the owner, and assignees of the owner. The owner shall submit the agreement to the register of deeds, and the agreement shall be recorded by the register of deeds in a manner which will permit the existence of the agreement to be determined by reference to the property where the holding tank is installed.

Owner(s) Name(s) - Print
ERIC MEIER

Municipal Official Name - Print
DANIEL J. FEDDERLY
Municipal Official Title - Print
**CHAIRMAN
TOWN OF SHERMAN**

Notrized Owner(s) Signature(s)
[Signature]

Municipal Official Signature
[Signature]
**CHAIRMAN
TOWN OF SHERMAN**

Subscribed and sworn to before me on this date:
9/27/02
[Signature]
Notary Public
My commission expires:
1/5/13
PUBLIC

